

INTERVIEW WITH INVENTOR ARIES M. DEGEUS

2/23/2011 11:24 AM

This is a very special interview over three-years in the making. Arie was originally recommended by us by the late Dr. Eugene Mallove, who had repeatedly attempted to publish DeGeus research in "Infinite Energy Magazine" before DeGeus was ready to come forward.

One of DeGeus most remarkable inventions is a device called the "plasmavolt" – an IEC fusion generator that supposedly uses a rotating plasma-vortex to create fusion between light-metal nuclei (Lithium, Beryllium, and Boron). The cathode containing these metals is the device's fuel, and experimental tester Michael McDonnough claimed that not only did it produce 80-watts of output energy for only 50-watts input, but that after running it on an oscilloscope for several months straight, the reaction byproduct that it generated was 6-grams of pure Potassium 40-19.

We also discuss some of DeGeus other remarkable innovations, including several processes that he claims extract zero-point energy to produce useable electrical energy, and a form of cold-current that reverses the thermal-gradient of an electrical current to actually remove heat from a circuit, causing it to run cold.

Because of the proprietary patent & intellectual property issues surrounding DeGeus research, his work is known only to a few --- but among those who know him he's considered to the leader in contemporary new-energy & alt-science research.

Link: Arie DeGeus Interview (Windows Media 10):

<http://www.americanantigravity.com/graphics/interviews/Arie-DeGeus.wma>

PDF: <http://www.americanantigravity.com/documents/Michael-McDonnough-Interview.pdf>

degeus patents <http://www.rexresearch.com/degeus/degeus.htm>
2 of 19 2/23/2011 11:24 AM

degeus patents <http://www.rexresearch.com/degeus/degeus.htm>
3 of 19 2/23/2011 11:24 AM

<http://cheniere.org/articles/Coincidence%20or%20Suppression%20of%20the%20Self-Powering%20Battery%202.doc>

<http://www.cheniere.org/toc.html>

<http://www.zpenergy.com/modules.php?name=News&file=article&sid=2675>
rense.com (12-06-07)

A Curious Coincidence - Was It Suppression Of The Self-Powering Battery?

By T. E. Bearden
The Incident

An incident that occurred in the Charlotte Douglas International Airport in North Carolina earlier this month is at least a curious coincidence, or it may possibly even represent assassination and suppression of another highly important "energy from the vacuum" (EFTV) invention. At least such a possibility should be considered, and then if all the facts warrant questioning the autopsy finding of death from natural causes, the incident should be more deeply investigated.

degeus patents <http://www.rexresearch.com/degeus/degeus.htm>

The victim's name was M. DeGeus. DeGeus was found slumped in his car in the long term parking area of the airport, totally unresponsive. He was rushed to the hospital, and was pronounced dead very quickly, according to <http://www.wbtv.com/><http://www.WBTV.com>

The resulting autopsy indicated heart failure, and thus concluded "death from natural causes". Hence police are not investigating it any further, and they are not considering it as a possible homicide.

Some Background on the Victim and His Invention...

DeGeus was in fact the inventor of a thin wafer-like material/device that somehow specially aligned the atoms or electron currents ongoing in that material, so that the wafer produced a constant amperage at a small voltage continuous real power, or in other words a strange kind of "self-powering battery". It is actually powered by the ongoing and continuous tremendous exchange of energy by the active vacuum with the charges of any material. This exchange is exceptionally powerful, and normally our electromagnetic systems and devices only use just a tiny bit of it.

But as is known in physics, even simple materials (such as a simple short piece of ordinary copper wire) have extraordinary symmetrical cross currents ongoing perpetually, even when no ordinary "net" current is flowing since normally there is no asymmetry. E.g., quoting Swann:

"Think of the cables which carry the telephone current in the form of electrons. In the absence of the current the electrons are moving in all directions. As many are moving from left to right as are moving from right to left; and the nothingness which is there is composed of two equal and opposite halves, about a million million amperes per square centimeter in one direction, and a million million amperes per square centimeter in the other direction. The telephone current constitutes an upsetting of the balance to the extent of one hundredth of a millionth of an ampere per square centimeter, or about one

part in a hundred million million million. Then if this one part in a hundred million million million is at fault by one part in a thousand, we ring up the telephone company and complain that the quality of the speech is faulty." [W.F.G. Swann, Physics Today, June. 1951, p. 9.]

However, if by special alignment of atoms and basic constituents one does provide an EM asymmetry in this naturally occurring "opposing huge EM power currents" always ongoing laterally in the matter itself, then a net lateral direct current (real EM power) can be freely provided by that altered material at a resulting voltage (indicating the asymmetry) because every charge in the material is continually involved in an enormous energy reaction with its local active vacuum.

This continual giant energy interaction of every charge with the seething vacuum is already well-known in modern quantum field theory. E.g., quoting Aitchison: "...the concept of a 'single particle' actually breaks down in relativistic quantum field theory with interactions, because the interactions between 'the particle' and the vacuum fluctuations (or virtual quanta) cannot be ignored." [I. J. R. Aitchison, "Nothing's Plenty: The Vacuum in Modern Quantum Field Theory," Contemporary Physics, 26(4), 1985, p. 357.].

A Little Corroborating Information

Indeed, I found an obscure bit of information that seems directly related to proving the concept. We urge other investigators to further investigate this effect. Quoting: "infrared Tourmaline is the only mineral to show permanent electricity on the earth and is also a natural (non-manufactured) source of negative ions and far infrared (FIR) rays.

degeus patents <http://www.rexresearch.com/degeus/degeus.htm>

Around 1986, it was found in a research station in Japan that, even though tourmaline was broken down in smaller pieces, a positive and a negative electrode existed on both ends of the crystal, and the electrodes never disappeared unless tourmaline was boiled near 1000°C.

In addition, when the positive and the negative electrodes of a tourmaline crystal were connected to each other, it was proven to show low electricity of 0.06mA."

We suspect that the vast new phenomena uncovered in nanocrystalline research will also probably have similar "self-powering DC battery" capabilities in some cases.

At any rate, altering the layering characteristics of the wafer material used by DeGeus provides a broken symmetry in its usual equal-and-opposite cross currents. This asymmetry results in the little DeGeus solid state wafer pouring out a net steady lateral DC current at a given steady voltage. In short, it becomes a "perpetual battery" type of device, gating and pouring out steady and directly usable net DC power, and fed by energy from the seething vacuum reaction due to that organized broken symmetry

Proposed Explanation of the "Self-Powering Battery"

Physics already tells us that, when we have a broken symmetry, then something

previously virtual becomes observable. So when we have a power supply using the normal proven asymmetry of opposite charges (its dipolarity), it will be receiving input energy from the virtual state vacuum, cohering it to quantum size, and emitting it as real, observable EM energy. E.g., quoting Nobelist Lee:

"the violation of symmetry arises whenever what was thought to be a non-observable turns out to be actually an observable." [T. D. Lee, Particle Physics and Introduction to Field Theory, Harwood Academy Publishers, Chur, New York, and London, 1981, p. 181.]

DeGeus Wafers and the Purpose of his Planned Trip

DeGeus appears to have readily achieved different voltages and currents (different levels of power) by grouping, multiple-layering, etc. much like connecting or grouping individual batteries. The novelty was that the inventor had discovered how to build these wafers extremely cheaply couple bucks each for a small one, with an assembly of them for greater power just requiring multiples of the basic cost.

He is believed to have been from a well-to-do European family with significant assets in South America. His family is reported to have claimed the body and officially tied up all his assets, effects, records, etc. The legal ongoings are likely to permanently suppress any and all technical lab notes, descriptions, etc.

Unknown to the authorities investigating his death, DeGeus was on his way to Europe to receive very substantial funding to put his invention into mass production and marketing.

Importance of the DeGeus Invention

As an example of the importance of this probably-now-lost "free energy from the vacuum" invention, consider an electric car with a much smaller DeGeus wafer assembly "battery pack" using self-powering "batteries" taking all their energy output continually from the seething vacuum. As can be seen, suddenly one has eliminated the recharging of batteries for the electric car, and is now using a "permanent, self-powering battery" instead. Thus one has achieved the dream of a "self-powering electric auto", taking all its input energy cleanly from the active vacuum environment itself, without need of burning physical fuel to run the car or recharge the battery. In short, a car also without harmful emissions that damage and pollute the biosphere and contribute to global warming.

degeus patents <http://www.rexresearch.com/degeus/degeus.htm>

Use of a larger DeGeus battery, together with an alternator, would also produce a self-powering unit capable of powering the average home with AC power. Many other applications are obvious, as is also the tremendous impact of such a developed technology upon our present consumption of hydrocarbon fuels, nuclear fuel rods, etc.

If Assassination, Explanation of How It Was Done

So a question arises as to whether this was just a simple "accidental" heart attack, or whether it could have been a very professional assassination to suppress the inventor and his invention. While we cannot definitively answer that question, we can explain exactly how such an assassination could have been done, which would have given the victim a massive heart attack or stroke or both, resulting in his death.

The standard method of assassination to provide a certified autopsy report of "death by natural causes" is the little EM beam "shooter" using the Venus ECCM technique -- i.e., warping of its wavefront -- to destroy the body's control of its heartbeat. There are two basic sizes: One is about the size of a dime-store pocketbook, and has an effective range of something like 30 feet or so. The other is the size of a bazooka (shoulder-held rocket launcher) and its beam is effective at a range of about 200 feet or so. It also is often used with infrared sighting, to fire through a wall at a person (say, in a room on the second floor) by aiming at his infrared change and signature detected outside the building.

A person struck by this Venus-technique warped wavefront beam has a sudden interruption of all control of his heartbeat, and so his heart goes into instant, uncontrolled, and violent fibrillation. Exposure to the main beam for 10 seconds or more is almost certain to result in death of the individual, by a resulting massive heart failure, stroke, or both.

My colleague Ken Moore and I were struck with just such a beam from a small Venus beam shooter, in the inside breast coatpocket of the assassin, in a restaurant here in Huntsville several years ago. We both felt the beam and the instant fibrillation. I personally saw the assassin, about 20 feet away from us and well-dressed in suit and tie, pull back his coat front and point that book-sized shooter at us. Fortunately we were seated right beside the emergency exit from the dining room, and I knew about Venus technique shooters and their drastic effects. So we just immediately jumped right through that exit, setting off all the alarms, but getting out of the beam in just a few seconds. So we lived to tell the tale.

If this were indeed used in the DeGeus death case, it would have been very simple for the assassin to simply approach him while he was still sitting in his just-parked car, hit him with the beam and hold it on him for, say, 30 seconds to a minute, then close his coat and simply walk away. And no one would have been the wiser, till the victim was found by someone in his car, either dead or dying.

There is the information for the reader's review. The reader will have to make up his own mind as to what probably really happened, and whether it was truly an act of nature (a normal heart attack) or a deliberately induced heart failure (an assassination using the standard Venus shooter).

Other Similar Incidents

There are of course other incidents similar to this. Stan Meyer, a well-known inventor who apparently got his watergas working well, rushed from a restaurant and shouted "They're killing me!" (Some reports stated he shouted "They're poisoning me"), and then collapsed and died. Simply Google on the web, for many articles on Stan Meyer, his

invention, the threats to his life, and his strange death.

An Australian researcher and friend of mine also had a colleague who was assassinated in an upstairs room by a shot from the street below, using the larger bazooka-sized Venus degeus patents

<http://www.rexresearch.com/degeus/degeus.htm>

shooter. The other persons there actually observed the assassin load the bazooka-shaped shooter back into his vehicle and speed away.

In Conclusion

All we can state for certain is that (1) lots of inventors of successful watergas, self-powering systems, etc. have been severely warned or in some cases killed. (2) Many other "free energy from the active medium" inventors have been threatened, bought out, or killed or experienced a mysterious death (we tell neophytes to be careful, else one can have a "sudden suicide" on one's way to the supermarket!) (3) The Venus electronic countermeasures technique is well-known and established. (4) I have personally experienced just such an assassination attempt, with my good friend Lieutenant Colonel (retired) Ken Moore with me and also experiencing the weapon effects and our very rapid escape in the nick of time. So I have a corroborating witness.

Nonetheless, the interested reader will have to take it from there and draw his or her own conclusions about the DeGeus incident. Was it just a curious natural heart attack, or was it a deliberate assassination? Hopefully, time will tell.

**http://www.pesn.com/2007/12/05/9500463_self-powered_battery_inventor_dead/
Free-Energy Battery Inventor Killed at Airport?**

Official statement cites "natural causes" but others familiar with the disruptive potential of the inventor's technology to the existing power structure consider it a probable assassination.

**by Sterling D. Allan
Pure Energy Systems News 2007**

WBTV reported death as "most likely not a homicide."

On Nov. 11, inventor of a revolutionary, affordable, clean energy technology, Arie M. DeGeus was found slumped in his car, totally unresponsive, in the long-term parking lot of the Charlotte Douglass International Airport in North Carolina. He was taken to the hospital and died a short time later. The autopsy suggested heart failure, so officials were saying the death was a result of a medical problem or natural causes, and not likely to be a homicide. (Ref.; ref.)

Those who were involved with his research are doubtful, citing, among other things, that he had been in good health at around age forty five. The timing is also suspicious. He was apparently on his way to Europe where he was to secure major funding for the development and commercialization of his technology, which could make oil obsolete. Charlotte Macklenburg Police detective, M. Conner, said that it would be a while yet

before the toxicology report comes in on this case.

Tom Bearden, a well-known figure in the cutting-edge, clean energy technology industry, wrote a lengthy report on the inventor, his death, and his technology. He said: "DeGeus was the inventor of a thin wafer-like material/device that somehow specially aligned the atoms or electron currents ongoing in that material, so that the wafer produced a constant amperage at a small voltage – continuous real power, or in other words a strange kind of “self-powering battery”.

Bearden also speculates about the cause of death, citing a technology that shoots an degeus patents

<http://www.rexresearch.com/degeus/degeus.htm>

electromagnetic beam that destroys the body's control of its heartbeat. He said there are two basic sizes of the Venus ECCM technique. One has a range of around thirty feet, and the other, about the size of a bazooka, has an effective range of around 200 feet. Bearden claims to have been hit with such a device along with his colleague Ken Moore while at a restaurant several years ago. They felt the fibrillation and saw the would-be assassin about 20 feet away, with his suit coat pulled back, exposing a book-sized shooter. Fortunately, they were near an emergency exit and were able to get away before a lethal dose was received.

DeGeus had been in Salt Lake City a couple of weeks ago, demonstrating the technology to some people who were also seeking to raise money for its advancement. That group said that DeGeus was not the only person who knew how the technology works, and they hope to see it go ahead even though DeGeus is no longer around. The above information has been brought to the attention of the Charlotte media and police.

News Video : --- <http://www.wbtv.com/home/11188186.html>

<http://www.wbtv.com/home/11188186.html>

Patents by A. M. DeGeus

Method and Aparatus for the Production of So-Called Fractional Hydrogen and Associated Production of Photon Energy

WO0208787

**EC: C01B3/00; G21K1/00; (+2) IPC: C01B3/00; G21K1/00; H05G2/00 (+6)
2002-01-31**

Abstract --- An enclosed system, which generally may be of tubular shape, in which plasma of hydrogen is induced, or is being created and in which this plasma is being maintained. Said system comprising of an anode at one end of the enclosed system and a cathode at the other end; optionally, means for electromagnetic focusing (e.g. by means of Helmholtz pairs) surrounding said enclosed system; coiling, screen(s) or strips, which

may have a variety of shapes, positioned within said enclosed system and being located between said anode and said cathode, but not being connected to either and which may consist of a material (e.g. W), which promotes the conversion of molecular hydrogen into atomic hydrogen and which further facilitates the molecular hydrogen into atomic hydrogen and which further facilitates the ionization of hydrogen; said coiling, screen(s) or strips, which may have a variety of shapes, optionally being hooked up to a minute electric power source, which preferably has a relatively high frequency.

Method and Apparatus are for Stimulation of Zero-Point Energy in and Absorbed by Tissue...

NL1029476C

**EC: A61N1/40; A61N2/06 IPC: A61N2/02; A61N2/06; A61N2/00 (+2)
2007-01-09**

Abstract --- The method and apparatus are for stimulation of zero-point energy in and absorbed by tissue in a plant, animal and human being and involves a primary permanent magnetic field introduced through the tissue with a superimposed variable electromagnetic field further fed through the tissue for creation of considerable health advantages. The variable electro-magnetic field is of a cyclic nature, which is wave-form, sinusoidal, triangular, trapezoidal or rectangular, dependent upon the passage of time. Its amplitude and frequency are variable and adjustable. A living cell (0) is present in a tissue matrix (1), has cell walls (2) and a moving free electron (3). It has a spirally shaped movement trajectory (4), positively charged ions (5) which surround a more or less tunnel-shaped induction zone (6). The symbols (PM) and (EM) indicate the directions of the primary permanent magnetic field and the electro-magnetic degeus patents <http://www.rexresearch.com/degeus/degeus.htm> field. Fringe fields (C1,C2) are the cell limitations shown as capacitor plates of a cell and there is a more or less tubular area (7) with a self-inductance (Lc). The ohmic resistance in the cell is indicated (R) as is the field strength of the permanent magnetic field (H).

degeus patents <http://www.rexresearch.com/degeus/degeus.htm>

Method has Evolving Physical and Chemical Processes with Three Energy Conversions from Zero-Point Energy to Permanent Magnetic Energy...

NL1029488C

**EC: H01M14/00 IPC: H01M6/00; H01M6/00; (IPC1-7): H01M6/00
2006-08-14**

Abstract --- The method has evolving physical and chemical processes with three energy conversions from zero-point energy to permanent magnetic energy, to electrochemical energy, to electrical direct current, with a resulting durably available electrical energy source. In a layout of the processes, the regenerative mode is seen next to the discharge mode, whilst in fact both modes are located adjacently at inter-atomic distance. In the conversion into electro-chemical energy at the location of the permanent magnetic field, the two electrodes, together with the intervening membrane, are permeated by an electro-chemical cell. The electrode pair and the intervening membrane

are located in an electrolyte, which can be a liquid, a gel, or fine powder. The conversions occur in an energy cell, in separate sections, next to each other. The electrons can flow through connectors provided between the separate sections. The sections are positioned at inter-molecular or atomic spacing.

degeus patents <http://www.rexresearch.com/degeus/degeus.htm>

degeus patents <http://www.rexresearch.com/degeus/degeus.htm>

Nuclear Transmutational Processes

WO0231833

**EC: G21B3/00 IPC: G21B3/00; G21B3/00; (IPC1-7): G21B1/00
2002-04-18**

<http://v3.espacenet.com/textdoc?DB=EPODOC&IDX=WO0231833&F=0>

Abstract --- The invention relates to a method of generating energy, comprising the steps of: a. introducing hydrogen in a reactor vessel, the vessel comprising a cathode, an anode and an ionization element, the cathode comprising a primary and a secondary transmutational element, the transmutational elements having in their nucleus a number of neutrons which is larger than the number of protons, and wherein at least one neutron has a preferred orientation; b. Ionizing at least a part of the hydrogen with the ionization element to form a plasma, c. Applying a voltage differential across the cathode and the anode, causing protons to travel to the cathode and to induce a transmutation of the transmutational elements which combine to form an element of higher mass number than the mass number of said transmutational elements under the release of energy; and d. collecting heat and/or on other energy formed in step c. In a preferred embodiment the primary transmutational element comprises formula (i) or any combination thereof, whereas the secondary transmutational element comprises formula (ii) or any combination thereof.

degeus patents <http://www.rexresearch.com/degeus/degeus.htm>

degeus patents <http://www.rexresearch.com/degeus/degeus.htm>

degeus patents <http://www.rexresearch.com/degeus/degeus.htm>

Electrische Energie uit Fusie van Edele Gassen.

EC: G21B3/00 IPC: G21B3/00; H05H1/12; G21B3/00 (+1)

NL1030908C

degeus patents <http://www.rexresearch.com/degeus/degeus.htm>

2007-07-17

Methode en Apparaat voor energie produktie door middel van Fusie van He met Be.

EC: G21B3/00 IPC: G21B1/05; G21B1/05

NL1030781C

2007-06-28

<http://v3.espacenet.com/textdoc?DB=EPODOC&IDX=NL1030781C&F=0>

Warmte Generator

GEUS ARIE MELIS DE

EC: IPC: G21B3/00; G21B3/00

NL1031363C

2007-09-17

degeus patents <http://www.rexresearch.com/degeus/degeus.htm>

Method and Aparatus for the Production of So-Called Fractional Hydrogen and Associated Production of Photon Energy

EC: C01B3/00; G21K1/00; (+2) IPC: C01B3/00; G21K1/00; H05G2/00 (+6)

WO0208787

2002-01-31

Método para incrementar a energia cinética de elétrons utilizando uma combinação de campos magnéticos e eletromagnéticos permanentes

EC: IPC: H02N11/00; H02N11/00; (IPC1-7): H02N11/00

BR0205594

2004-08-03

Mechanisme ter modernisering van het oogsten van bomen

GEUS ARIE MELIS DE

EC: IPC: A01G23/08; A01G23/00

NL1031324C

2007-09-11

Brandstof voor Verbrandingsmotoren en Gasturbines met daaraan toegevoegde Nukleair Fuserende Component.

EC: IPC: G01N1/28; G01N1/28

NL1030700

2007-06-20

Omzetting van Nulpunt-Energie in toegevoegde Kinetische Energie van elektronen. in my patents list

EC: H02N11/00B IPC: H02N11/00; H02N11/00

NL1030697C

2007-06-19

Turbine elektrische generator

EC: H02K35/02; F03B7/00; (+3) IPC: H02K35/02; F03B7/00; F03D9/00 (+3)

NL1030628C

2007-06-12